

GENERAL CONSTRUCTION
CONSTRUCTION MANAGEMENT
DESIGN / BUILD

10995 Main Street Clarence New York 14031 Phone: 716-634-9994 Fax: 716-633-6956

ContactUs@PiconeConstruction.com www.PiconeConstruction.com



BUTLER° BUILDING SYSTEMS







CONTENTS

STRUCTURAL SYSTEMS

Widespan™ Structural System5Landmark™ 2000 Structural System6Hardwall Structural System7Multi-Story Structural System7

ROOF SYSTEMS

MR-24® Roof System 10

ThermaLiner™ Insulation System 11

VSR II™ Roof System 11

Butlerib® II Roof System 12

Reroof Solutions 12

SunLite Strip™ Daylighting System 13

Sky-Web® Fall Protection System 13

WALL SYSTEMS

StylWall® II Wall System/Fascia Panel 14
Shadowall™ Wall System 15
Butlerib® II Wall System 15
TextureWall™ Panel Wall System 17

BUILDING SYSTEMS

Complex Building Designs18Panl-Line™ Building System19Self-Storage Building System19

BUILDING GREEN


A Commitment to Building Green 20
"Cool Roof" Finishes 21
Butler-Cote™ Finish System 21

BUILD WITH CONFIDENCE

Research Center 22
Butler Builders 23
Design Integrity 23



BUILDING IN A NEW LIGHT



For more than 100 years, the name Butler has been synonymous with building innovation.




It all started with the idea to factory—produce building systems, and it continues with new products and services that still set industry standards.

Butler offers virtually unlimited options with regard to a building's appearance and functionality. And every component of our building systems is designed, engineered, and manufactured to exact specifications, assuring fast assembly and long—term performance.

We've remained the systems construction industry leader by meeting the needs of building owners more effectively than any other manufacturer. Unmatched building versatility. Extensive design freedom. Lower lifecycle costs. These are just a few of the ways that Butler is Building in a New Light.

Our parent company, BlueScope Steel, an international flat steel solutions company, allows us to offer more efficiencies and capabilities than ever before. Learn more about BlueScope Steel at www.bluescopesteel.com.

From more innovation to more resources, discover the difference Butler can make with your next building project.





Nothing speaks to The Butler Difference better than satisfied customers—and over 70% of our customers are repeat buyers of Butler® building systems.

THE BUTLER DIFFERENCE

STRUCTURAL SYSTEMS

You'll often hear us refer to our unique product advantages as "The Butler Difference." We invite you to discover what this difference can mean for you.

BUTLER BUILDERS

With superior knowledge of construction, these independent building professionals offer single—source responsibility and complete construction services. Today there are more than 1,200 Butler Builders worldwide—the largest network of construction professionals in the world.

MR-24® ROOF SYSTEM

It's the most specified standing—seam roof system on the market, with more than 2 billion square feet installed worldwide. The MR–24® roof system has unique design features that accommodate roof movement under temperature swings and virtually eliminate roof leaks.

FACTORY-PUNCHING

Only Butler offers factory—punched secondary structural members to assure a precision fit on

the jobsite. This helps to speed installation, lower construction costs, and create low-maintenance structures for greater lifecycle cost savings.

HIGH-PERFORMANCE PRODUCTS

With products such as acrylic—coated galvanized C/Z purlins and girts, as well as systems that integrate easily with conventional building materials, Butler provides innovative solutions that enhance performance and add value.

BUTLER-COTE™ FINISH

Butler offers a superior Kynar 500® or Hylar 5000® finish system as the standard exterior finish on all painted panels and trim. This incredibly durable coating is the finest finish in the industry.

INDUSTRY-LEADING WARRANTIES

Our multi-year warranties protect your investment. Available 25-year weathertightness warranties are a testament to the performance that a Butler® building system offers.


WIDESPAN™ STRUCTURAL SYSTEM

A structural system should enhance a building's functionality, not stand in its way. That's the principle upon which the Widespan™ structural system is designed. This versatile rigid frame system assures maximum use of interior space, while also providing virtually unlimited flexibility with regard to building width, height, roof slope, and exterior finish. And Butler's precision engineered system adds speed for cost savings in construction.

The Widespan system offers extensive framing options with these benefits:

- Large areas of uninterrupted space
- Straight or tapered columns
- Minimal or no interior columns to optimize building costs and enhance functionality
- Extensions and expansions for future building requirements are easily accommodated
- Acrylic-coated galvanized secondary structural members for better appearance and durability













MR-24° OR CMR-24° ROOF SYSTEM STRAIGHT OR TAPERED COLUMNS S'OVERHANG OR 10' CANOPY OPEN WEB TRUSS PURLIN SOLID WEB ROOF BEAM BAYS TO 60'

LANDMARK™ 2000 STRUCTURAL SYSTEM

If large interior modules and extra—long bay sizes are important to your building's functionality, then the Landmark™ 2000 structural system is the right choice. The Landmark 2000 system is designed to accommodate large modules and bay sizes up to 60 feet, while also assuring the design flexibility uniquely suited to your building's function as well as appearance.

- Factory—punched open—web secondary structural members (truss purlins) allow for 60—foot bays
- Rod bracing in the roof and walls reinforces the system's strength
- Design flexibility assures maximum building functionality
- Accommodates hardwall construction easily integrating with masonry, precast concrete or site—cast tilt wall, or other conventional wall products

HARDWALL STRUCTURAL SYSTEM

The Butler Hardwall system combines conventional building materials with the performance advantages of Butler® products, including MR-24®, the world's finest standing—seam roof system. The hardwall system is designed for non-metal load-bearing masonry or concrete wall projects.


- Integrated with the industry's finest standing seam roof system—the MR-24® roof system
- Provides the opportunity to create traditional flat appearance roof lines by easily integrating with any type of conventionally built walls
- Offers unlimited design flexibility, as well as fast assembly




MULTI-STORY STRUCTURAL SYSTEM

The Multi–Story structural system offers the same benefits of our low–rise building expertise in buildings from two to eight stories. The system utilizes the combined technologies of conventional and systems construction to create a cost–effective, high–performance building.

- Available with a variety of roof and wall options, including any Butler standing—seam roof system
- Exterior finishes including brick, block, curtain wall, and metal wall panels
- A single—source solution that provides value, convenience, and architectural enhancement
- Surprising building applications with all the traditional performance benefits of Butler










Whether you're tired of dealing with costly roof repairs or you simply want to avoid them from the outset, you'll find the ideal solution in the MR-24® roof system by Butler—the industry's most specified standing—seam metal roof system.


Proprietary technologies have established the MR–24 roof system as the recognized standard in the industry. It acts like a monolithic steel surface covering your entire building, providing superior protection for the inventories, assets, and lives inside.

More than 2 billion square feet of the MR–24 roof system have been installed since 1969, and life cycles of over 40 years have been achieved. It's a testament to the unmatched protection it provides.



MOVEABLE ROOF CLIP

The MR–24 clip (below) allows the roof to expand and contract with changing temperatures. This mobility prevents stress at the clips, fasteners, and panel splice that could otherwise make the building vulnerable to leaks and wind damage.



THE PITTSBURGH DOUBLE-LOCK SEAM

Only the MR–24 roof system seams are mechanically field–rolled 180 degrees to complete a 360–degree Pittsburgh double–lock seam. Other manufacturers simply crimp or snap the seams into place, forming a loose, vulnerable seal.







ow the ittsburgh ouble–lock eam is formed.

ENERGY SAVINGS Because the MR–24 roof system is metal and

and trim.

PERFECT ALIGNMENT

All roof panels and structural members

of the MR-24 roof system are factory-

punched to assure proper alignment and

weathertightness, as well as the accurate

installation of closures, roof accessories.

STAGGERED PANEL SPLICES

Locating panel splices at the same position

across the roof makes it almost impossible

roof system eliminates this problem with


located over supporting steel to reinforce

vulnerable areas, as opposed to midair

splices common with other manufacturers.


staggered panel splices. All splices are also

to seal and protect against leaks. The MR-24



WIND UPLIFT RESISTANCE

The MR–24 roof system carries the highest UL wind uplift rating (Class 90). It has also been approved by FM Global as a Class 1 Panel roof, which may help lower your insurance costs. In addition, the MR–24 roof system is approved for use under the strictest codes, including Miami–Dade County, Florida.



The MR-24 roof system can be installed with special thermal blocks to eliminate thermal "short circuits."

25-YEAR WARRANTY

It stands to reason that the industry's best roof also offers the industry's best warranty.

The MR-24 roof system is available with a 25-year weathertightness warranty. Ask your Butler Builder® for details.




ROOF SYSTEMS CMR-24® ROOF SYSTEM THERMAX™ RIGID INSULATION BOARD **VAPOR RETARDER** INTERIOR METAL LINER 10 - ROOF SYSTEMS

CMR-24° ROOF SYSTEM

The CMR-24® roof system offers all the benefits of the MR-24® roof system with a layer of Thermax™ rigid insulation board and an interior steel liner. This liner gives the interior a finished look while protecting the roof's insulation and providing excellent energy savings.

- Excellent energy efficiency with a tested
 U-factor as low as .037 or an R-value of R-27
- Uses the MR-24 panel clip to allow movement during roof expansion and contraction
- Incorporates the MR-24 Pittsburgh double lock seam to ensure weathertight performance
- Available 25-year weathertightness warranty
- Thermax metal building board insulation is tested and listed for fire resistance by UL
- Painted or unpainted metal liner is available
- Available "cool roof" finish options




The acoustic characteristics of rigid foam board insulation may not be suitable for certain buildings. See your Butler Builder® for more information.

THERMALINER™ INSULATION SYSTEM

The state-of-the-art ThermaLiner™ insulation system incorporates all the benefits of the MR-24,® VSR II,™ or Butlerib® II roof systems, with the additional advantages of superior thermal efficiency, condensation control, and noise reduction. The system is available as unpainted Galvalume® or painted.

- Helps reduce heating and cooling costs and controls condensation
- Superior thermal efficiency with a tested
 U-factor as low as 0.026 or an R-value as high as R-40
- Easy installation with self-drilling screws
- Abuse–resistant liner adds an attractive, finished interior to the underside of the roof
- Can be installed on Landmark[™] 2000 or Widespan[™] structural systems

MR-24° ROOF SYSTEM (ALSO AVAILABLE WITH THE BUTLERIB° II Or VSR II™ ROOF SYSTEM)




VSR II[™] ROOF SYSTEM

The VSR II™ roof system is a versatile standing—seam roof developed specifically for architectural applications. Designed to easily accommodate complex roof geometries, the VSR II roof panels can be applied to light—gauge steel framing or any properly designed roof deck on roof slopes of 1/2:12 and greater.

- Has minor longitudinal flutes that provide a pleasing appearance
- Made with the low-gloss, high-quality
 Butler-Cote[™] finish system
- Available in a variety of visually appealing "cool roof" colors
- Approved by FM Global
- Has UL Class 90 wind uplift rating







ROOF SYSTEMS




Sky–Web® and Sky–Web II® do not eliminate fall hazard from th non–leading–edge perimeter of the roof during installation.

BUTLERIB® II ROOF SYSTEM

A building's roof system is no place to compromise quality and protection—particularly on projects with heightened budgetary constraints. The Butlerib® II roof system is engineered to provide the ideal option in such instances, offering low installation and maintenance costs with the assurance of an available 10-year weathertightness warranty.

- The best thru-fastened roof system available in the industry
- Exclusive Lock–Rivet[™] fastener doesn't work loose over time
- Special sealant groove assures proper application of the sealant
- Factory-slotted holes allow for thermal expansion and contraction of panels
- Deep 1-1/2-inch corrugation and "return leg" add strength and support



Corrugations standing 1–1/2" high provide extreme durability while offering an attractive appearance

REROOF SOLUTIONS

Butler offers several reroofing options that enable you to address potentially devastating roof problems with an affordable, long-term solution. In most cases, these systems can be installed over an existing roof, avoiding interruptions to your daily business activity. A Butler reroof system offers a recyclable, low maintenance and long-life roof solution that will enhance the energy efficiency of your building.

- Retrofit Metal-Over-Metal Systems allow the MR-24® roof system to be installed over existing metal roof systems
- The Slope Build-up Reroof System is designed for application over flat built-up or membrane roofs
- higher-slope applications

SUNLITE STRIP™ DAYLIGHTING SYSTEM

The Butler self-curbing SunLite Strip™ daylighting system adds natural daylight, occupant comfort and energy-savings to any Butler building featuring the MR-24® standing seam metal roof system. Installed in 1/3 the time of industry standard curb-mounted systems, this unique SunLite Strip design can reduce roof penetrations by 30% while also preserving the MR-24 roof system's weathertight integrity.

- Reduces electric lighting costs by up to 70% when combined with lighting controls
- Domed design directs more of the sunrays allowing additional light to be transmitted into the building, especially during sunrise and
- Prismatic lenses provide 100% diffused light to eliminate hotspots
- Helps owners with EPAct federal tax deductions

SKY-WEB® FALL **PROTECTION AND INSULATION SUPPORT SYSTEMS**

The Sky-Web® and Sky-Web II® systems protect workers from falls and certain objects that may be dropped during roof construction. The innovative mesh systems remain in place to act as an insulation support after the building is complete.

- A passive restraint system similar to an automobile airbag
- No worker initiative required—and no need to tie off with lanyards
- · Allows free movement without tangling in safety lines or installing safety nets







WALL SYSTEMS








STYLWALL° II FLUTED WALL SYSTEM OR FASCIA PANEL

The ribbed design of the StylWall® II Fluted panels provides a rich appearance in new or retrofit uses.

- Concealed fasteners add to vertical appearance
- Fluted panels accommodate a variety of insulation systems
- Can be combined with other conventional wall materials such as brick and glass







STYLWALL® II FLAT WALL SYSTEM OR FASCIA PANEL

StylWall® II Flat wall panels feature an outside embossed surface. Each panel is fastened to the wall structural system and then "locked" into the adjacent panel, concealing the fasteners and enhancing the building's appearance.

- Rigid insulation board improves the insulating properties of the wall and the flatness of the metal face
- Conventional finishing materials can be easily fastened to the interior






SHADOWALL** WALL SYSTEM

The Shadowall™ wall system is ideal for creating architecturally pleasing exteriors, particularly in instances where energy efficiency is a key concern.

- Fasteners are recessed deep in panel corrugation to enhance appearance
- Accommodates added insulation for enhanced energy efficiency
- Available factory—punched panels and structurals add speed and accuracy in installation
- Transition pieces assure precision with window and door installation






BUTLERIB® II WALL SYSTEM

With an attractive combination of quality and affordability, the Butlerib® II wall system remains an extremely popular choice for virtually any type of building application.

- Deep 1–1/2–inch panel corrugations reinforce the building's panel strength
- Available factory punching of panels assures fast and accurate installation
- Predesigned transition materials coordinate with other building materials














TEXTUREWALL™ PANEL WALL SYSTEM

TextureWall[™] panels have an exterior textured surface that creates a stunning stucco appearance. The surface is created by the Texture–Cote[™] finish system, a hard aggregated, fiber–reinforced polymer finish that resists the effects of impact, abrasion, and weather.

- Satisfies many local building codes requiring masonry or stucco exteriors
- Features a full 10—year warranty on material and application
- Factory-installed foam core insulation delivers excellent energy efficiency with an R-value of R-15 to R-29.42 (for a range of panel thickness from 2"- to 4")
- Factory—applied finish of TextureWall panels allows system to be erected in virtually any weather condition
- Features concealed fasteners and allows simple installation from outside the building envelope



BUTLER THERMAWALL™ WALL SYSTEM

The Butler Thermawall™ wall system is a factory–insulated wall system with concealed fasteners for a clean, attractive appearance.

Panel thicknesses of 2, 2–1/2, 3, and 4 inches are available to match your thermal performance needs, with nominal R–values ranging from R–15 to R–29.42.

The R-value of the polyurethane core used in Butler Thermawall and TextureWall panels is among the highest insulating value (per inch thickness) of any building material available today.

The system is UL certified for 1– or 2–hour fire resistance assembly when installed per UL U652.

FLUTED PANELS

Butler Thermawall™ Fluted panels create an exterior surface with fluted (deep) corrugations.

FINELINE PANELS

Butler Thermawall™ Fineline panels create an exterior surface with fineline (shallow) corrugations.

FLAT PANELS

Butler Thermawall™ Flat panels create a smooth, embossed exterior surface.



EXTERIOR FACE


FOAM CORE



EXTERIOR FACE


INTERIOR FACE







FOAM CORE



LARGE OR COMPLEX BUILDING DESIGNS

For unusually large or complex buildings, Butler Manufacturing can save you time and money. Our Butler Heavy Structures division designs conventional structural steel with the cost efficiency of Butler engineered building systems. From initial design to finished construction, experienced engineers and project managers can provide a single-source solution to your building needs-working in tandem with your local Butler Builder.®

WE PROVIDE—

- Reduced turnkey construction times with the design-build method
- Trusted Butler systems to fit most any building need
- Worldwide network of experienced
- Large clearspan structures—such as sports facilities and aircraft hangars
- Heavy industrial complexes—such as steel mills and paper processing plants
- Highly architectural structures—such as multi-story offices, retail centers, and churches

PANL-LINE™ BUILDING **SYSTEM**

The Panl-Line™ building system from Butler is designed for small building requirements. Two distinctive appearances are available—the single-slope roof design of Panl-Line™ I buildings and the gable roof design of Panl-Line™ Il buildings.

- Provides maximum usable space and volume in a small building, with a high degree of functional flexibility
- Relocatable endwalls make expansion simple
- Can be used for a multitude of purposes, from simple storage space to complex computerized control stations



SELF-STORAGE SYSTEM

The same high-quality engineering and manufacturing expertise that has made Butler the steel building systems leader goes into each of our self-storage products. These building systems can be designed to fit any width or length in 5-foot increments. Interiors are also designed to be high on flexibility—yet low on maintenance costs.

- A single source for design and construction saves you time and money
- Faster construction gets you open for business and renting units sooner
- Climate-controlled or non-climate-controlled options can be specified

- Available with the industry's #1 standing seam metal roof—the MR-24® roof system
- Multi-story buildings can be built to meet your specific needs
- Exterior finish options include embossed metal, concrete block, tilt-up, or brick





BUILDING GREEN



A COMMITMENT TO BUILDING **GREEN**



From material use to transportation costs, construction has an impact on the environment. At Butler, we strive to meet all construction needs with attention to sustainability, providing a more efficient way to complete your construction project. Butler is a member of the U.S. Green Building Council—a testament to our focus on developing responsible building practices.

- Steel is the proven standard in the effort to create sustainable architecture—and Butler® building systems contain a high percentage of recycled steel.
- Butler's factory-produced made-to-order building systems minimize jobsite fabrication and associated waste
- Efficient thermal building envelopes are available to reduce energy consumption
- Regional Butler fabrication plants bring production closer to building sites, reducing transportation energy costs
- The green attributes of Butler can help you earn credits toward LEED® certification

"COOL ROOF" FINISHES





Butler offers a full palette of fluoropolymer color finishes that meet reflectance and emittance standards for "cool roofs" as established by energy codes. These 25-year finishes have a Solar Reflectance Index (SRI) as high as 92.

Butler "cool roofs" help reduce the Heat Island Effect which produces high relative temperatures in urban areas. In this way, Butler building systems help ensure a safer habitat and climate.

Butler roof products featuring the Energy Star® label keep buildings cooler by increasing solar reflectivity, thereby reducing energy use, utility costs and air pollution.



BUTLER-COTE™—A SUSTAINABLE **FINISH SYSTEM**


Butler's sustainable Butler-Cote[™] premium finish is the standard exterior finish on all painted panels and trim. It features high reflectivity to help lower energy consumption and meets or exceeds EPA regulations for low-VOC paints. This incredibly durable Kynar 500® or Hylar 5000® system is the finest factoryapplied finish in the industry, resisting fading and chalking to remain vibrant for years. Many attractive standard color options are available with a Solar Reflectance Index (SRI) of 29 or greater.

While many manufacturers' warranties are prorated after a certain period of time, we offer our Butler-Cote roof and wall panel warranty for a full 25 years—with no prorating. The 25-year warranty also protects against blistering, peeling, cracking, or chipping of the paint coating. It's a testament to our high performance standards.





BUILD WITH CONFIDENCE





Demonstrating Butler's commitment to excellence, the Butler Research Center has led the industry in product development and innovation since 1959. The Butler Research Center is the most comprehensive facility of its kind, conducting ongoing tests of Butler's current materials and products to ensure continual, evolutionary improvements of Butler® building systems.

- All structural steel, panel materials, bolts, fasteners, and sealants are subjected to rigorous quality control
- The strength of components and systems is studied with a variety of full—scale tests
- Panel finishes are tested for qualities such as weathering, adhesion, color match, gloss, hardness, and a variety of performance characteristics in virtually any environment

THERMAL PERFORMANCE TESTING

In the early 1970's, Butler constructed one of the first Guarded Hot Boxes in North America for the in–place performance testing of U–factors for roof, wall and insulation system assemblies. Today, Butler has expanded this program by constructing a state–of–the–art Guarded Hot Box to develop and test new assemblies which meet new stringent building codes while saving energy and money.

A BUILDER YOU CAN TRUST—YOUR LOCAL BUTLER BUILDER®

No aspect of The Butler Difference is more important than the Butler Builder®. Today there are more than 1,200 Butler Builders worldwide, representing the largest network of construction professionals in the world. From initial design through completed construction, no one builds like your Butler Builder.

- Independent construction professionals who undergo comprehensive training from Butler Manufacturing™
- Single—source responsibility assures faster construction and greater cost effectiveness
- Local businesspeople with outstanding reputations in their communities

Using Butler Advantage® XE software, your Butler Builder can help you design a complete turnkey building solution to perfectly suit your needs.


DESIGN INTEGRITY

Butler Manufacturing is an IAS—accredited metal building manufacturer. The IAS accreditation program recognizes manufacturers who design and fabricate safe, high—quality structures. It assures quality and consistency in metal building manufacturing.

The rigorous certification process scrutinizes all of the things that are important to you in selecting a manufacturer, including raw material purchasing, welding practices, material receiving, quality control measures, and overall fabrication quality assurance. As a buyer, you should always specify an IAS—accredited fabricator and require a copy of the accreditation certificate. It's your symbol of quality assurance. Butler also maintains the high—quality design standards required as a member of the Metal Building Manufacturers Association.













Butler Manufacturing Kansas City, MO 816–968–3000 Butler Buildings Canada Burlington, ON Canada L7M 3X1

www.butlermfg.com















Galvalume is a registered trademark of BIEC International Inc. Kynar 500° is a registered trademark of Arkema. Hylar 5000° is a registered trademark of Solvay Solexis. Fluoropon° is a registered trademark of The Valspar Corporation. The ENERGY STAR name and the ENERGY STAR symbol are registered trademarks of the United States Environmental Protection Agency. Thermax'" is a trademark of The Dow Chemical Company. ("DOW") or an affiliated company of DOW. LEED is a trademark of the U.S. Green Building Council. The USGBC logo is a registered trademark owned by the U.S. Green Building Council and is used by permission.

Butler Manufacturing™ is a division of BlueScope Buildings North America, Inc. Find your independent Butler Builder ® at www.butlerbuilder.com

Form No. 4226 08/12